

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3280036	-----	19661018	US 1961-139784	19610921 <--
AB	Division of U.S. 3,094,429. Electrostatic latent images formed on dielec. coated elec. conductive substrates are developed with porous ceramic particles 20-120 μ in diameter colored with day. Printing in 2 colors simultaneously, or sequentially, is done by laying down patterns with 2 different charge ds. on the dielec. surface. Then particles 90-120 μ diameter dyed one color will be attracted to the higher charge of the 1st image, and particles 20-60 μ diameter dyed another color will be attracted to the lower charge ds. of the 2nd electrostatic image. E.g., a suitable developer powder may be prepared from fluid clay cracking catalyst particles 1000, in a bath containing dye 10, LiCl 11, glycerol 50, and H ₂ O 900 g., by mixing into a paste at 200°F. The hygroscopic properties of LiCl make the individual particles elec. conductive. After drying in an oven, the developer particles are ready for use.			

=> d hist

(FILE 'HOME' ENTERED AT 20:45:08 ON 21 JUN 2008)

FILE 'MEDLINE, CAPLUS, BIOSIS' ENTERED AT 20:45:43 ON 21 JUN 2008

L1	689 S (DEPOSITION) AND (MICRO? OR NANO?) AND (SUBSTRATE?) AND (ELEC
L2	292 S L1 AND PY<=2003
L3	15 S (ELECTROSTAT?(W)PATTERN?) AND (SUBSTRATE?)
L4	3491 S SUBSTRATE AND CONDUCTIVE AND DIELECTRIC AND PATTERN?
L5	1229 S (ELECTROSTAT?) AND (PATTERN?) AND (SUBSTRATE?)
L6	704 S L5 AND PY<=2003
L7	82 S L6 AND (DIELECTRIC)
L8	79 DUP REM L7' (3 DUPLICATES REMOVED)
L9	13 DUP REM L3 (2 DUPLICATES REMOVED)

=> d hist full

(FILE 'HOME' ENTERED AT 20:45:08 ON 21 JUN 2008)

FILE 'MEDLINE, CAPLUS, BIOSIS' ENTERED AT 20:45:43 ON 21 JUN 2008

L1	689 SEA ABB=ON PLU=ON (DEPOSITION) AND (MICRO? OR NANO?) AND (SUBSTRATE?) AND (ELECTROSTATIC?)
L2	292 SEA ABB=ON PLU=ON L1 AND PY<=2003
L3	15 SEA ABB=ON PLU=ON (ELECTROSTAT?(W) PATTERN?) AND (SUBSTRATE?)
L4	3491 SEA ABB=ON PLU=ON SUBSTRATE AND CONDUCTIVE AND DIELECTRIC AND PATTERN?
L5	1229 SEA ABB=ON PLU=ON (ELECTROSTAT?) AND (PATTERN?) AND (SUBSTRATE?)
L6	704 SEA ABB=ON PLU=ON L5 AND PY<=2003
L7	82 SEA ABB=ON PLU=ON L6 AND (DIELECTRIC)
L8	79 DUP REM L7' (3 DUPLICATES REMOVED)
L9	13 DUP REM L3 (2 DUPLICATES REMOVED)
	D L9 TI 1-13
	D L9 IBIB ABS 1-3,10-12
	D L8 TI 1-15
	D L8 TI 16-30
	D L8 TI 31-45
	D L8 TI 46-60
	D L8 TI 61-75
	D L8 TI 76-79
	D L8 IBIB ABS 6,10,20,40,46,53,71,78

FILE HOME

FILE MEDLINE

FILE LAST UPDATED: 21 Jun 2008 (20080621/UP). FILE COVERS 1949 TO DATE.

MEDLINE has been updated with the National Library of Medicine's revised 2008 MeSH terms. See HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

See HELP RANGE before carrying out any RANGE search.

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Jun 2008 VOL 148 ISS 26
FILE LAST UPDATED: 20 Jun 2008 (20080620/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

FILE BIOSIS

FILE COVERS 1926 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNS) PRESENT FROM JANUARY 1926 TO DATE.

RECORDS LAST ADDED: 18 June 2008 (20080618/ED)

BIOSIS has been augmented with 1.8 million archival records from 1926 through 1968. These records have been re-indexed to match current BIOSIS indexing.

=> log h			
COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION	
FULL ESTIMATED COST	120.42	120.63	
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION	
CA SUBSCRIBER PRICE	-11.20	-11.20	

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 20:56:12 ON 21 JUN 2008